

L Number	Hits	Search Text	DB	Time stamp
-	16828	flash same eeprom	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:22
-	387	((flash same eeprom) same (simulat\$4 or emulat\$4 or model\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:21
-	6	((flash same eeprom) same (simulat\$4 or emulat\$4 or model\$4)) and (nor adj flash)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:30
-	4	((flash same eeprom) same (simulat\$4 or emulat\$4 or model\$4)) and (nor adj flash) and software	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:39
-	6	((flash same eeprom) same (simulat\$4 or emulat\$4 or model\$4)) and ("nor" adj flash)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:30
-	81	(nor adj flash) same eeproms	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:40
-	11	((nor adj flash) same eeproms) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:48
-	0	08635995.an.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:49
-	4	635995.ap.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/23 21:49
-	1062	(365/185.33).cccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 15:37
-	1025	((365/185.33).cccls.) and (flash or eeprom)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 15:38
-	2166	(nor with (flash or eeprom))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 15:38
-	446	((nor with (flash or eeprom))) and ((byte\$1 or sector\$1) with eras\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 15:40
-	90	((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with eras\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 15:40
-	24	((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with eras\$3)) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:18
-	0	((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with eras\$3)) and @ad<19980930 and (software and (state adj machine\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:44
-	0	((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with eras\$3)) and @ad<19980930 and ((state adj machine\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:44

-	1	((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with eras\$3)) and @ad<19980930 and ((software))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:49
-	2447	((365/185.33).ccls. or (711/103).ccls)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:50
-	2471	((365/185.33).ccls. or (711/103).ccls) or (((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:52
-	7	((365/185.33).ccls. or (711/103).ccls) and (((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:53
-	0	((365/185.33).ccls. or (711/103).ccls) and (((nor with (flash or eeprom))) same ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and @ad<19980930) and (state adj machine)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:53
-	620	(state adj machine\$1) and nor and flash and eeprom	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:53
-	286	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 18:50
-	107	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 17:55
-	15	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and (nor with (flash or eeprom))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 18:07
-	9	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and (nor with (flash or eeprom))) and ("8" with "1")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 18:08
-	9	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and (nor with (flash or eeprom))) and ("8" with "1")) and (NOR same flash same eeprom)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 18:12
-	4	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and (nor with (flash or eeprom))) and ("8" with "1")) and (NOR same flash same eeprom)) and software	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 19:02
-	4	((state adj machine\$1) and nor and flash and eeprom) and @ad<19980930) and ((byte\$1 or sector\$1) with (eras\$4 or alter\$5))) and (nor with (flash or eeprom))) and ("8" with "1")) and (NOR same flash same eeprom)) and software) and process\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 18:13
-	104	(eeprom and (state adj machine\$1) and (address adj counter\$1) and (address adj bus\$2) and (reset)) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 19:00
-	58	((eeprom and (state adj machine\$1) and (address adj counter\$1) and (address adj bus\$2) and (reset)) and @ad<19980930) and flash and nor	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/15 19:01
-	1	((eeprom and (state adj machine\$1) and (address adj counter\$1) and (address adj bus\$2) and (reset)) and @ad<19980930) and flash and nor) and (flash same nor same eeprom)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:23

-	0	711.ccls. and (block adj select\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:42
-	719	711/\$.ccls. and (block adj select\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:23
-	460	(711/\$.ccls. and (block adj select\$5)) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:24
-	119	((711/\$.ccls. and (block adj select\$5)) and @ad<19980930) and (write same instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:24
-	7	((711/\$.ccls. and (block adj select\$5)) and @ad<19980930) and (write same instruction\$1)) and flash and eeprom and nor	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/19 12:25
-	1010	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:42
-	272	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (block\$1 with select\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:43
-	64	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and flash and (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:19
-	36	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and flash and (EPROM or EEPROM)) and (((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (block\$1 with select\$5))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:43
-	0	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (updat\$4 with granular\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:44
-	617	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (allocat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:44
-	25	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and flash and (EPROM or EEPROM)) and (((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (block\$1 with select\$5))) and (((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (allocat\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
-	19	((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and flash and (EPROM or EEPROM)) and (((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (block\$1 with select\$5))) and (((711/170 711/171 711/172 711/173).ccls.) and @ad<19980930) and (allocat\$4))) and point\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
-	336	((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:18
-	180	((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:18
-	11	((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930) and flash and (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:19

-	11	(((((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930) and flash and (EPROM or EEPROM)) and first and second	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:20
-	10	(((((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930) and flash and (EPROM or EEPROM)) and first and second) and address\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:20
-	7	((((((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930) and flash and (EPROM or EEPROM)) and first and second) and address\$2) and controller\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:20
-	6	((((((711/170 711/171 711/172 711/173).ccls.) and ((memory or address\$2) same offset)) and @ad<19980930) and flash and (EPROM or EEPROM)) and first and second) and address\$2) and controller\$2) and pointer\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 16:20